







# VACCINES RECOMMENDED PER COUNTRY

PLEASE CONTACT TRAVEL DOCTOR FOR AN APPOINTMENT +27 11 214 9030  
Address : NHC Health Centre, Cnr. Beyers Naude & Waugh Avenue, Northcliff



for more information : [www.traveldoctor.co.za](http://www.traveldoctor.co.za)

Recommendations based on data from the World Health Organisation (WHO) and the Centres for Disease Control (CDC), within the South African Traveller's context

KEY :

C = Compulsory  
D = Dependant on Country of Origin / Stopover  
R = Recommended  
R\*\* = Recommended but not available in South Africa, contact Travel Doctor to arrange in country

<b>I</b> continued
Isle of Pines (see Cuba)
Israel
Italy
Ivory Coast (see Cote d'Ivoire)

RECOMMENDED ROUTINE VACCINES										
TETANUS	DIPHtherIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTA VIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>=65yrs.)	HEPATITIS B
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R	R	R	R	R	C
R	R	R	R	R	R	C
R	R	R	R	R	R	C
R	R	R	R	R	R	C

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK

<b>J</b>
Jamaica
Japan
Java (see Indonesia)
Jordan

RECOMMENDED ROUTINE VACCINES										
TETANUS	DIPHtherIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTA VIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>=65yrs.)	HEPATITIS B
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK

<b>K</b>
Kampuchea (see Cambodia)
Kashmir (see India)
Kazakhstan
Kenya
Kiribati
Korea (see North or South Korea)
Kosovo
Kuwait
Kwajalein (see Marshall Islands)
Kyrgyzstan

RECOMMENDED ROUTINE VACCINES										
TETANUS	DIPHtherIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTA VIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>=65yrs.)	HEPATITIS B
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK
MALARIA RISK

<b>L</b>
Labrador (see Canada)
Laos
Latvia
Lebanon
Lesotho
Liberia
Libya
Liechtenstein
Lithuania
Luxembourg

RECOMMENDED ROUTINE VACCINES										
TETANUS	DIPHtherIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTA VIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>=65yrs.)	HEPATITIS B
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK

<b>M</b>
Macau
Macedonia
Madagascar

RECOMMENDED ROUTINE VACCINES										
TETANUS	DIPHtherIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTA VIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>=65yrs.)	HEPATITIS B
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D
R	R	R	R	R	R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK

# VACCINES RECOMMENDED PER COUNTRY

**PLEASE CONTACT TRAVEL DOCTOR FOR AN APPOINTMENT +27 11 214 9030**  
**Address : NHC Health Centre, Cnr. Beyers Naude & Waugh Avenue, Northcliff**



for more information : [www.traveldoctor.co.za](http://www.traveldoctor.co.za)

Recommendations based on data from the World Health Organisation (WHO) and the Centres for Disease Control (CDC), within the South African Traveller's context

**KEY :**

<b>C</b> = Compulsory
<b>D</b> = Dependant on Country of Origin / Stopover
<b>R</b> = Recommended
<b>R**</b> = Recommended but not available in South Africa, contact Travel Doctor to arrange in country

## M continued

Madeira
Malawi
Malaysia
Maldives
Mali
Malta
Mariana Islands (see Northern Mariana Islands)
Marshall Islands
Martinique
Mauritania
Mauritius
Mayotte
Mexico
Micronesia
Miquelon (see St. Pierre)
Moldova
Monaco
Mongolia
Montenegro
Montserrat
Morocco
Mozambique
Myanmar (see Burma)

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals<+65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R		R		R	
R	R**		R		R	
R		R	R		R	C
R					R	D
R					R	
R		R	R		R	C
R					R	D
R			R		R	
R					R	D
R		R	R		R	D
R	R**		R		R	D
R			R		R	D
R					R	D
R					R	
R			R		R	D
R					R	D
R					R	D
R			R		R	D
R					R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

## N

Namibia
Nauru
Nepal
Netherlands
Netherlands Antilles (see Aruba or Curacao)
Nevis ( see Saint Kitts and Nevis)
New Caledonia
New Guinea (see Papua New Guinea)
New Guinea, West (see Indonesia)
New Hebrides (see Vanuatu)
New Zealand
Newfoundland (see Canada)
Nicaragua
Niger
Nigeria
Niue
North Korea
Northern Ireland (see U.K.)
Northern Mariana Islands
Norway

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals<+65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R		R		R	
R	R		R		R	D
R		R	R		R	D
R	R**		R		R	D
R					R	D
R		R	R		R	D
R					R	D
R		R	R		R	D
R					R	D
R			R		R	D
R					R	D
R					R	D
R			R		R	D
R					R	D
R					R	D
R			R		R	D
R					R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

MALARIA RISK

## O

Okinawa (see Japan)
Oman

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals<+65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES						
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER
R	R		R		R	
R	R		R		R	D

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk

MALARIA RISK



# VACCINES RECOMMENDED PER COUNTRY

PLEASE CONTACT TRAVEL DOCTOR FOR AN APPOINTMENT +27 11 214 9030  
Address : NHC Health Centre, Cnr. Beyers Naude & Waugh Avenue, Northcliff



for more information : [www.traveldoctor.co.za](http://www.traveldoctor.co.za)

Recommendations based on data from the World Health Organisation (WHO) and the Centres for Disease Control (CDC), within the South African Traveller's context

<b>KEY :</b>	<b>C</b> = Compulsory
	<b>D</b> = Dependant on Country of Origin / Stopover
	<b>R</b> = Recommended
	<b>R**</b> = Recommended but not available in South Africa, contact Travel Doctor to arrange in country

<h1 style="font-size: 48px; margin: 0;">S</h1> continued	RECOMMENDED ROUTINE VACCINES													TRAVEL VACCINES							MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk	
	TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)	HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER		
Saudi Arabia : <b>Pilgrimage - Hajj / Umrah</b>	R	R	R	R	R	R	R	R	R	R	R	R	R			C				C	MALARIA RISK	
Scotland (see U.K.)	R	R	R	R	R	R	R	R	R	R	R	R	R									
Senegal	R	R	R	R	R	R	R	R	R	R	R	R	R		R		R		R	C	MALARIA RISK	
Serbia (also see Montenegro and Kosovo)	R	R	R	R	R	R	R	R	R	R	R	R	R					R**				
Seychelles	R	R	R	R	R	R	R	R	R	R	R	R	R							R	D	
Shetland Is. (see U.K.)	R	R	R	R	R	R	R	R	R	R	R	R	R									
Sicily (see Italy)	R	R	R	R	R	R	R	R	R	R	R	R	R									
Sierra Leone	R	R	R	R	R	R	R	R	R	R	R	R	R		R		R		R	C	MALARIA RISK	
Singapore	R	R	R	R	R	R	R	R	R	R	R	R	R								D	
Sint Eustatius (see Netherlands)	R	R	R	R	R	R	R	R	R	R	R	R	R								D	
Sint Maarten	R	R	R	R	R	R	R	R	R	R	R	R	R								D	
Slovakia	R	R	R	R	R	R	R	R	R	R	R	R	R				R					
Slovenia	R	R	R	R	R	R	R	R	R	R	R	R	R				R					
Society Is. (see Fr. Polynesia)	R	R	R	R	R	R	R	R	R	R	R	R	R									
Solomon Islands	R	R	R	R	R	R	R	R	R	R	R	R	R			R					D	MALARIA RISK
Somalia	R	R	R	R	R	R	R	R	R	R	R	R	R		R		R		R			MALARIA RISK
South Africa	R	R	R	R	R	R	R	R	R	R	R	R	R								D	MALARIA RISK
South Korea	R	R	R	R	R	R	R	R	R	R	R	R	R									MALARIA RISK
South Sudan	R	R	R	R	R	R	R	R	R	R	R	R	R		R		R		R	C	MALARIA RISK	
Spain	R	R	R	R	R	R	R	R	R	R	R	R	R									
Sri Lanka	R	R	R	R	R	R	R	R	R	R	R	R	R		R**		R		R			
Sudan	R	R	R	R	R	R	R	R	R	R	R	R	R			R		R		R	C	MALARIA RISK
Sumatra (see Indonesia)	R	R	R	R	R	R	R	R	R	R	R	R	R		R**		R		R		R	MALARIA RISK
Suriname	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R		C	MALARIA RISK
Swaziland	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R		D	MALARIA RISK
Sweden	R	R	R	R	R	R	R	R	R	R	R	R	R									
Switzerland	R	R	R	R	R	R	R	R	R	R	R	R	R									
Syria	R	R	R	R	R	R	R	R	R	R	R	R	R				R				D	

<h1 style="font-size: 48px; margin: 0;">T</h1>	RECOMMENDED ROUTINE VACCINES													TRAVEL VACCINES							MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk		
	TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)	HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER			
Tahiti (see Fr. Polynesia)	R	R	R	R	R	R	R	R	R	R	R	R	R										
Taiwan	R	R	R	R	R	R	R	R	R	R	R	R	R		R**							D	
Tajikistan	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R				
Tanzania	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R			MALARIA RISK	
Tasmania (see Australia)	R	R	R	R	R	R	R	R	R	R	R	R	R								D		
Thailand	R	R	R	R	R	R	R	R	R	R	R	R	R		R**		R		R		D	MALARIA RISK	
Tibet (see China)	R	R	R	R	R	R	R	R	R	R	R	R	R					R**		R	D	MALARIA RISK	
Timor - Liste	R	R	R	R	R	R	R	R	R	R	R	R	R		R**		R		R		D	MALARIA RISK	
Togo	R	R	R	R	R	R	R	R	R	R	R	R	R			R		R		R	C	MALARIA RISK	
Tonga	R	R	R	R	R	R	R	R	R	R	R	R	R										
Tortola (see Br. Virg. Is.)	R	R	R	R	R	R	R	R	R	R	R	R	R								R		
Trinidad and Tobago	R	R	R	R	R	R	R	R	R	R	R	R	R								C		
Truk (see Micronesia)	R	R	R	R	R	R	R	R	R	R	R	R	R										
Tunisia	R	R	R	R	R	R	R	R	R	R	R	R	R										
Turkey	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R				
Turkmenistan	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R				
Turks and Caicos Islands	R	R	R	R	R	R	R	R	R	R	R	R	R										
Tutuila (see Am. Samoa)	R	R	R	R	R	R	R	R	R	R	R	R	R								R		
Tuvalu	R	R	R	R	R	R	R	R	R	R	R	R	R										

<h1 style="font-size: 48px; margin: 0;">U</h1>	RECOMMENDED ROUTINE VACCINES													TRAVEL VACCINES							MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk		
	TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals>>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)	HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER			
Uganda	R	R	R	R	R	R	R	R	R	R	R	R	R				R		R		C	MALARIA RISK	
Ukraine	R	R	R	R	R	R	R	R	R	R	R	R	R										

# VACCINES RECOMMENDED PER COUNTRY

PLEASE CONTACT TRAVEL DOCTOR FOR AN APPOINTMENT +27 11 214 9030  
 Address : NHC Health Centre, Cnr. Beyers Naude & Waugh Avenue, Northcliff



for more information : [www.traveldoctor.co.za](http://www.traveldoctor.co.za)

Recommendations based on data from the World Health Organisation (WHO) and the Centres for Disease Control (CDC), within the South African Traveller's context

<b>KEY :</b>	<b>C</b> = Compulsory
	<b>D</b> = Dependant on Country of Origin / Stopover
	<b>R</b> = Recommended
	<b>R**</b> = Recommended but not available in South Africa, contact Travel Doctor to arrange in country

<h1>U</h1> continued
United Arab Emirates
United Kingdom
United States
Upper Volta (see Burkina Faso)
Uruguay
U.S. Virgin Islands
Uzbekistan

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals+>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES							
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK

<h1>V</h1>
Vanuatu
Vatican City
Venezuela
Vietnam
Virgin Islands (see Br. Vi. Is. or US Vi. Is.)

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals+>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES							
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK

<h1>W</h1>
Wake Island
Wales (see UK.)
West Africa (see Namibia)
Western Sahara (see Morocco)
Western Samoa (see Samoa)

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals+>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES							
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK

<h1>Y</h1>
Yemen
Yugoslavia (see Serbia, Montenegro and Kosovo)

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals+>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES							
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK

<h1>Z</h1>
Zaire (see D. R. Congo)
Zambia
Zanzibar (see Tanzania)
Zimbabwe

RECOMMENDED ROUTINE VACCINES												
TETANUS	DIPHTHERIA	PERTUSSIS	POLIO	MEASLES	MUMPS	RUBELLA	ROTAVIRUS (<2yrs.)	VARICELLA	PNEUMOCOCCAL (for high risk individuals+>65yrs.)	HEPATITIS B	INFLUENZA	HUMAN PAPILLOMAVIRUS (HPV)
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R
R	R	R	R	R	R	R	R	R	R	R	R	R

TRAVEL VACCINES							
HEPATITIS A	JAPANESE ENCEPHALITIS	MENINGOCOCCAL MENINGITIS	RABIES	TICK-BORNE ENCEPHALITIS	TYPHOID	YELLOW FEVER	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	
R	R	R	R	R	R	R	

MALARIA RISK - Contact Travel Doctor for further details for any destination indicating Malaria Risk
MALARIA RISK
MALARIA RISK